

QC=, +*, > O=GD), '



2025-V1.2



3


	QQ, ++-M (-D =, / ² +
&	D: (*?%'\$-(
	+++ bN 7 (/'i&d`e (*')' d c
	++(bn
).'' E`d &Z0,'\$(+'i&d`e ž
	O' bd &
	(O,' " +, "' (+' d d
&	++'''' b^ O'''' O'''' (*'''' (*'''' b^
) / M&'''' N
) ² () M&/' 8_
	*''
	89J
	* /, &,))% +
	* (&'))% /
	* /, &,))% (

4



6





7 / 12

97
180

0219

Large, stylized black letters and symbols, possibly representing a logo or decorative element, partially overlapping the circuit board strip.

(

)

*

(

(



()
3C

GB27901-2011

23	>2.0kw, 8000m ³ /h	>	1
24		0-2000m	1
25	15mm 4000KG	30	2
26		(MPA):0.5-1.2	
27	±45m/s	65	1



37	IP66, 11.6 (1920×1080) 16G 1TB 4G	1	
38	65mm/	10	
39	80mm/	10	
40	80mm 65mm	10	
41	80mm 65mm	10	
42	65mm 80mm	10	
43	65mm 80mm	10	
44	A1 45 1 180A1 4 4 1 175A4 40 1 3	3	4 4



13

()



